

Physico-chemical analysis of ground water sample from Dnyaneshwari nagar, Amravati, India

Deshmukh SV¹ and Wharekar SR²

¹Bar. RDIK and KD College Badnera

²Department of Environmental Science, Art, Commerce and Science College, KiranNager, Amravati.

Email: shrikant.warhekar@gmail.com

Manuscript Details

Received :07.02.2021

Accepted: 25.02.2021

Published: 28.02.2021

Available online on <https://www.irjse.in>

ISSN: 2322-0015

Editor: Dr. Arvind Chavhan

Cite this article as:

Deshmukh SV and Wharekar SR. Physico-chemical analysis of ground water sample from Dnyaneshwari nagar, Amravati, India., *Int. Res. Journal of Science & Engineering*, 2021, Volume 9(1): 12-16.



Open Access This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons license, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons license, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons license and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this license, visit <http://creativecommons.org/licenses/by/4.0/>

Abstract

The quality of ground water depends on various constituents and their concentration. Ground water is the only source of potable water for majority of people in the urban and rural area. Bore well water samples were collected from five sampling spots of Dnyaneshwari Nagar, Amravati. This was analyzed by standard analytical methods. Water sample is collected by grab sampling method and stored in clean polyethylene five-liter cans. Physico-chemical analysis was carried out in the laboratory. The physical parameter like Temperature, Colour, Turbidity, Total Solids, Total suspended solids, Total dissolved solids, Conductivity and Chemical parameter like Alkalinity, Hardness, Acidity, pH, Dissolved oxygen, Chloride, Total hardness, Phosphate, etc. were analyzed to observe the current status of the groundwater quality. All parameters were compared with the standard desirable limit of drinking water standards as prescribed by different agencies such as WHO standard, ISI standard and USPH Standard.

Keywords- Bore well water, Ground water, Physico-chemical analysis, Awareness

1. Introduction

Water resources have played critical and vital role throughout history in the growth and continue to be a factor of importance in the economic growth of all the contemporary societies. In societies like our India with developing economics, the optimum development, efficient utilization and effective management of their water resources should be the dominant

strategy for economic growth, but in recent year s unscientific management and use of this resources for various purpose almost invariably has created undesirable problems in its wake, water logging and salinity in the case of agriculture use and environment pollution of various limits as a result of mining, industries and municipal use [1].

Water is nature's most wonderful, abundant and one of the most essential need for the human and other living organisms, but is also important for the sustenance of biodiversity, ecology and overall health of the planet Earth. Water is extremely essential for survival of lives-ecological resources for the flora and fauna of our earth. The quality of water is vital concern for mankind since it is directly linked with human welfare. The quality of ground water depends on various chemical constituents and their concentration, which is derived from the geological data of the particular region. Ground water occurs in weathered portion, joints and fractures of the rocks [2]. Most groundwater is clean, but groundwater can become polluted or contaminated due to various anthropogenic activities. It can become polluted from leaky underground tanks that store gasoline, leaky landfill, or when people apply too much fertilizer, herbicides or pesticides on their fields or lawns. When pollutants leak, spread or are carelessly dumped on the ground they can move through the soil. Some sources are contaminated to groundwater as well, such as industries would dump toxic wastes into ponds, river or swampy area, which is not realizing that the waste could get into someone's drinking water. Some agricultural areas have trouble with fertilizer, pesticides and herbicides from farm runoff that contaminated seeps into the drinking water. Even sewage from houses, toilets or livestock can contaminate water with dangerous bacteria. According to WHO survey 1.2 billion people all over the world do not use pure and safe drinking water and biological contamination of water is responsible for 80% of all human illness in the developing world [3]. Quality of ground water is an important factor in development and use of ground water as drinking resource. The potable water should be free from pathogenic agents and chemical constituents, pleasant to taste and usable for domestic purposes and

healthy to human. The ground water is characterized by various quality problems [4,5]. Groundwater pollution has become a major subject of public concern the world over. There are several ways as groundwater is contaminated in urban and rural areas such as municipal sewage disposal to nearby water bodies, disposal or seepage of effluent from industries and use of inorganic fertilizers in agricultural farming. Most of the industries discharge the effluent without proper treatment into nearby open land or pass them through unlined channels, resulting in a deterioration of the groundwater resources. The groundwater pollution is highest in urban areas than rural areas where large volumes of waste concentrated and discharged near to the urban lakes. The increasing demand of water from fast growth of industries has put pressure on limited water resources [6].

2. Materials and Method

Study area:

Dnyaneshwari Nagar comes within the jurisdiction of Amravati municipal corporation (AMC). It is about two kilometers away from the main city. This Nagar was brought into existence in 2001, it was mostly agriculture land. There are more than 11 bore wells in the nagar and bore well water is mostly use for domestic purpose. The collection of bore well water samples was carried out from five sampling sites of various locations within study area. Water samples was collected by grab sampling method and stored in clean polyethylene five-liter cans. Sampling has been carried out without adding any preservatives in well-rinsed bottles.

Methodology:

The collected samples were analyzed for different physico-chemical parameters. Some physical parameters like temperature and pH were determined at the site with the help of digital water analyzer kit. Electrical conductivity determined by conductivity meter. Total Solids (TS) Total dissolved Solids (TDS) were estimated by evaporation method. Dissolved Oxygen (DO) by Winkler method, Alkalinity by titration method, Calcium and Magnesium Hardness as CaCO_3

were measured by using standard EDTA solution. Chloride was determined by titration method using standard AgNO_3 solution. Phosphate was determined by Colorimetric Method. All the results are compared with standard limits recommended by WHO standard, ISI standard and USPH Standard & all parameters were analyzed by standard procedure mentioned in APHA [7-9].

3. Results and Discussion

The results for bore well water quality of Dnyaneshwari Nagar Amravati are tabulated in Table 1. The temperature of five well water samples was found between the ranges 25.0°C to 25.4°C which is below the desirable limit. The colour of the five well water samples was found to be transparent during investigation period. The turbidity of well water samples was found between 1.0 to 1.3 NTU. In most water samples turbidity is due to colloidal and extremely fine dispersions. The turbidity of five well water samples was found to be within permissible limits. Total dissolved solids (TDS) value of five well

water sample ranged from 280 to 430 mg/lit. The total suspended solids and total solids, in five well water samples were found within the range of permissible limit. According to WHO the desirable limit of TDS is 500 mg/l for drinking water and all samples were below the standard permissible limit. A high value of TDS reduces water quality for drinking, irrigation and agriculture purposes [10]. High level of TDS in water used for drinking purposes leads to many diseases which are not water-borne but due to excess salts [11,12]. Dissolved solids tend to increase with increasing pollution of water. Electrical conductivity of five well water samples was found between the range 618 $\mu\text{mho/cm}$ to 892 $\mu\text{mho/cm}$. It is a very important parameter for determining the water quality for drinking and agricultural purposes. pH of five well water samples was found between the range 7.79 to 8.30. This value shows that the groundwater of the study area is slightly alkaline in nature and all the samples were within the permissible limit prescribed by WHO. pH is an important parameter in water body since most of the aquatic organisms are adapted to an average pH and do not withstand abrupt changes.

Table 1: Physico-Chemical Parameters of well water

Sr. No.	Parameters	Sampling Station-1	Sampling Station-2	Sampling Station-3	Sampling Station-4	Sampling Station-5
1	Temperature	25.2 $^\circ\text{C}$	25.0 $^\circ\text{C}$	25.4 $^\circ\text{C}$	25.1 $^\circ\text{C}$	25.1 $^\circ\text{C}$
2	Colour	Transparent	Transparent	Transparent	Transparent	Transparent
3	Turbidity	1.2 NTU	1.0 NTU	1.3 NTU	1.1 NTU	1.1 NTU
4	Total Solids	488 mg/lit	372 mg/lit	560 mg/lit	427 mg/lit	434 mg/lit
5	TDS	360 mg/lit	280 mg/lit	430 mg/lit	315 mg/lit	330 mg/lit
6	TSS	128 mg/lit	92 mg/lit	130 mg/lit	112 mg/lit	104 mg/lit
7	pH	8.03	7.98	8.30	7.79	8.0
8	Electrical Conductivity	819 μ mho/cm	618 μ mho/cm	892 μ mho/cm	697 μ mho/cm	692 μ mho/cm
9	Total Alkalinity	380 mg/lit	340 mg/lit	410 mg/lit	320 mg/lit	312 mg/lit
10	Total Hardness	326 mg/lit	290 mg/lit	480 mg/lit	312 mg/lit	302 mg/lit
11	Calcium Hardness	200 mg/lit	150 mg/lit	260 mg/lit	210 mg/lit	218 mg/lit
12	Magnesium Hardness	126 mg/lit	140 mg/lit	220 mg/lit	102 mg/lit	108 mg/lit
13	DO	4.48 mg/lit	4.72 mg/lit	3.76 mg/lit	3.88 mg/lit	3.28 mg/lit
14	Chloride	134.24 mg/lit	115.34 mg/lit	141.44 mg/lit	120.0 mg/lit	125.24 mg/lit
15	Phosphate	0.20 mg/lit	0.26 mg/lit	1.0 mg/lit	0.97 mg/lit	0.23 mg/lit

Table -2: Drinking Water Standards

Sr. No.	Parameters	WHO Standard	ISI Standard	USPHS Standard
1	Temperature	----	----	----
2	pH	6.5 - 9.2	6.0 - 8.5	6.0 - 8.5
3	Electrical Conductivity	---	----	300 μ mho cm-1
4	Turbidity	5 NTU	5 NTU	5 NTU
5	Total Solids	500-1500 mg/lit	500-2000 mg/lit	----
6	Total Dissolved Solids	500 mg/lit	500 mg/lit	500 mg/lit
7	Total Suspended Solids	---	100 mg/lit	120 mg/lit
8	Total Alkalinity	---	200-600 mg/lit	---
9	DO		4 to 6.0 mg/lit	4 to 6.0 mg/lit
10	Total Hardness	150-500 mg/lit	300 mg/lit	-----
11	Calcium Hardness	100-200 mg/lit	75-200 mg/lit	----
12	Magnesium Hardness	50-150 mg/lit	---	---
13	Chloride	250 mg/lit	250 mg/lit	250 mg/lit
14	Phosphate	----	-----	0.1 mg/lit

pH is most important in determining the corrosive nature of water. Lower the pH value higher is the corrosive nature of water [2]. Dissolved oxygen values of well water samples varied between 3.28 mg/lit to 4.48 mg/lit. Dissolved Oxygen is one of the important parameters that measure the extent of organic as well as biological pollution load to a water body. All the samples were within the permissible limit. The low DO values indicating contamination by organic matter, which indicates some pollution load in the water.

The total Alkalinity in five well water samples was found between the range 312 mg/lit to 410 mg/lit. The main sources of natural alkalinity are rocks containing carbonate, bicarbonate and hydroxide compounds that are present in region [13]. The value of alkalinity in water provides an idea of natural salts present in water. The total hardness of five well water samples was found between the range 290 mg/lit to 480 mg/lit. The calcium hardness of five well water samples was found between the range 260 mg/lit to 150 mg/lit. The magnesium hardness of five well water samples was found between the range 102 mg/lit to 220 mg/lit. Hardness is the property of water which prevents the lather formation with soap and increases the boiling

point of water. Hardness of water mainly depends upon the amount of calcium or magnesium salts or both. The total hardness in five well water samples was found to be within permissible limit. Excess of calcium and magnesium shows the hardness in water and is not good for drinking purpose. The chlorides of five well water samples was found between the range 120.0 to 141.44 mg/lit. Chlorides are important in detecting the contamination of ground water by waste water. The permissible limit of chloride in drinking water is 250 mg/L. The values of chloride observed in five well water samples were very low i.e. within the permissible limit. The concentration of chloride caused a salty taste to water. The people who are not accustomed to high chloride content, it may cause a laxative effect [13]. The phosphate of five well water samples was found between the ranges 0.20 mg/lit to 1.0 mg/lit. The higher phosphate was found to be 1.0 mg/lit. Phosphate may occur in groundwater as a result of seepage of domestic sewage, detergents, agricultural effluents with fertilizers and industrial waste water. The phosphate content in the study area was found to be above the permissible limit. The excess amount of phosphate may cause serious health hazard [14].

4. Conclusion

Ground water quality of Dnyaneshwari Nagar Amravati has been analyzed in the present work. All water parameters were compared with drinking water standards of WHO and ISI. It was concluded that all the water parameters are within the permissible limit of drinking water standards except phosphate which shows higher concentration than standard. So, water can be use for domestic purpose.

Acknowledgments: Authors thank Principal, Abasaheb Garware College, Pune for the laboratory conveniences.

Conflict of interest

No conflict of interest influenced in this research.

5. References

- Kumar M and Kumar R (2013) Assessment of Physico-Chemical Properties of Ground Water in Granite Mining Areas in Goramachia, Jhansi, UP, India. *International Research Journal of Environment Sciences*. 2(1): 19-24.
- Gupta DP, Sunita and Saharana JP (2009) Physiochemical analysis of ground water of selected area of Kaithal City (Haryana) India, *Researcher*, 1(2): 1-5.
- Wright J, Gundry S and Conry R (2004) House hold drinking water in developing countries; A systemic review of microbiological contamination between source and point of use. *Trop Med Int Health*, 9(1): 106-117.
- Gupta S, Kumar, Ojha CK and Singh G (2004) Assessment of Water Quality Index for the Groundwater in Tumkur Taluk, Karnataka State, India. *J Environmental Science and Engineering*, 46(1): 74-78.
- Gupta S, Kumar A and Seth G (2004) Study of some Physico-chemical characteristics of various type of water in VKI area in Jaipur (Rajasthan) chemistry. *An Indian Journal*, 2: 612.
- Ramesh K and Soorya V (2012) Hydrochemical Analysis and Evaluation of Groundwater Quality in and around Hosur, Krishnagiri District, Tamil Nadu, India. *International Journal of Research in Chemistry and Environment*. 2(3): 113-122
- Indian standard drinking water Specification (1991) (First Revision), ISSN-10500: BIS, New Delhi, India.
- ISI (1983) Indian standard specification for drinking water, IS10500, ISI, New Delhi.
- APHA (1998) Standard Methods for the Examination of Water and Waste Water. 20th edition, American Public Health Association Washington D.C.: APHA-AWWA-WEF.
- WHO (1996) Guidelines for Drinking water Quality 2(WHO, Geneva),231.
- Sabata B C and Nayar M P (1995) River pollution in India: A case study of Ganga river, 33.
- Parihar S S, Kumar A, Gupta RN, Pathak M, Shrivastav A and Pandey A C (2012) Physico- Chemical and Microbiological Analysis of Underground Water in and Around Gwalior City, MP, India. *Research Journal of Recent Sciences*. 1(6): 62-65.
- Agarwala BR, Mundheb V, Hussainc S and Pradhhand V (2012) Assessment of bore well water quality in and around Badnapur Dist. Jalna. *Journal of Chemical and Pharmaceutical Research*, 4(8):4025-4027.
- Rao VS, Prasanthi S, Jagarlapudi VSK and Kottapalli RSP (2012) Physico-chemical analysis of water samples of Nujendla area in Guntur District, Andhra Pradesh, India. *Int. J. ChemTech Res*, 4(2): 691-699.

© 2021 | Published by IRJSE

Submit your manuscript to a IRJSE journal and benefit from:

- ✓ Convenient online submission
- ✓ Rigorous peer review
- ✓ Immediate publication on acceptance
- ✓ Open access: articles freely available online
- ✓ High visibility within the field

Submit your next manuscript to IRJSE

[Make Submission](#)

OR Email: editor@irjse.in